

Red Light Therapy Device

Endorsement

Tested by professional athletes and coaches and those sports clubs



Model CL808Pro

Cold & Heated +Red Light

Power	42W
Charging port	Type -C
Rapid Cooling Mode	4 levels 3~45°C
Rapid Heating Mode	660nm, 850nm
Battery Life	7.4V, 5000mAh
Input	5V 2A
Weight	1.2Kg
Diameter	18*120cm



iOS Android
App Control




Model RL105

Rated Voltage	3.7V
Charging port	Special Charger
Laser Wavelength	650nm 808nm
Battery	2500mAh
Time Setting	12 Timer Setting
Mode	3 Power Mode
Weight	249g
Diameter	17*5cm
Material	Stainless Steel



Model RL201

Battery Voltage	DC 3.7V
Charging port	Type -C
Laser Wavelength	660nm 850nm
Battery	1200 mAh
Time Setting	5-20 minutes
Mode	4 Power Mode
Weight	100g
Diameter	4.7*12*31.5cm
Material	Stainless Steel



Model RL208

Battery Voltage	2400mAh/11.1V
Charging port	Type -C
Laser Wavelength	660nm 850nm
Battery	2400 mAh
Battery Life	2 hours
Mode	4-speed vibration
Weight	About 808g
Diameter	1152 * 222 * 34mm
Material	Highly elastic and skin-friendly fabric




Model RL202



Battery Voltage	DC5V
Charging port	USB Type-C
Laser Wavelength	19 LED 9×660nm 10×850nm
Battery Capacity	450mAh
Working Modes	5 modes
Main Unit Dimensions	45 x 20.3 mm
straps	236 x 23mm
Weight	28g
Main Functions	Red-Light Therapy
Material	ABS + Silicone + Fabric Strap

Model RL203



Battery Voltage	DC5V
Charging port	USB Type-C
Laser Wavelength	625nm 7 LED
Battery Capacity	180mAh
Working Modes	8 Modes+30 Intensity level+Red-light Heating
Main Unit Dimensions	53×55×20mm
Wrist Wrap	350×80mm
Weight	80g
Main Functions	EMS + Tens
Material	High-quality skin-friendly fabric

Model RL204



Battery Voltage	DC5V (1A)
Charging port	USB Type-C
Laser Wavelength	9 LED 7×660nm 2×880nm
Battery Capacity	400mAh
Working Modes	8 modes+30 intensity levels
Main Unit Dimensions	50×51×15mm
Pad Dimensions	160×65×2mm
Weight	120g
Main Functions	EMS + Tens
Material	High-quality skin-friendly fabric

Model RL205



Battery Voltage	DC5V (1A)
Charging port	USB Type-C
Laser Wavelength	9 LED 7×660nm 2×880nm
Battery Capacity	400mAh
Working Modes	8 modes+30 intensity levels
Main Unit Dimensions	50×51×15 mm
Bracelet	240×70mm
Weight	70g
Main Functions	EMS + Tens
Material	High-quality skin-friendly fabric

天津康伴科技有限公司
TIANJIN KONBEST TECHNOLOGY CO., LTD
广州益尔康医疗科技有限公司
GUANGZHOU ERCON MEDICAL TECH CO.,LTD

+86 15822690619

sales@tkonbest.com

https://tkonbest.com



WhatsApp

Office Address: No.8 of Huatian Road,
Huayuan Industry Area,THT,Tianjin,China,300384.

Factory Address: 4th Floor, Hengtong Building, No. 20,
Huashan Road, Panyu District,
Guangzhou City, Guangdong Province



KONBEST

Heating Red Light & Sauna Series



BSCI



RoHS




Focus on Sports Recovery Since 2009

TIANJIN KONBEST TECHNOLOGY CO., LTD

Single-Zone Far-Infrared Sauna Blanket



This sauna blanket uses low EMF carbon fiber heating wires to generate penetrating far-infrared warmth up to 80°C. It naturally relieves muscle and joint pain, aids detoxification, and supports cardiovascular health. With explosion-proof, leak-proof, and overheat protection, it ensures safe use in clinics or homes. Ideal for sports rehabilitation, it promotes deep relaxation, improves sleep, and speeds recovery from fatigue and injuries.



- Customized antflaming PU leather
- Fireproof cotton
- Over heating protector layer
- Low EMF carbon fiber infrared heating wire
- Temperature sensor layer
- Fireproof cotton
- Waterproof anti-corrosin PVC leather
- Waterproof anti-corrosin PVC leather
- Fireproof cotton
- Over heating protector layer
- Low EMF carbon fiber infrared heating wire
- Temperature sensor layer
- Fireproof cotton
- Customized antflaming PU leather



Waterproof



Explosionproof socket



Model RL303


Core Positioning	1 - zone zipper full - body sauna blanket
Main Functions	Far - infrared heating, sweating
Heating Zones	1 zone
Key Technologies	Low - radiation carbon fiber heating wire
Temperature Range	25°C - 80°C
Timing Range	5 - 60 minutes
Rated Power	600W
Controller	Handheld controller
Product Dimensions	180 * 180 cm
Gross Weight/Packaging	8.5 KG / single - piece package



Red Light Therapy Blanket



Featuring 2240 triple-chip LEDs (660nm:850nm=1:2) at 130mW/cm², this full-body blanket delivers deep tissue penetration. Three modes—constant, 10Hz (pain relief), and 40Hz (anti-inflammation)—plus 5 intensity levels, rapidly ease muscle and joint aches. Made of waterproof PU+TPU, it operates on safe DC24V. Perfect for athletes, it enhances muscle recovery, reduces inflammation, and maximizes rehabilitation efficiency.



3 Working Modes & 5 Intensity Adjustment

Constant Light Mode

The 660nm+850nm light maintains for body release

10Hz Pulse Mode



The lights flash 10 times in one second for deep repair and relief pain

40Hz Pulse Mode

The lights flash 40 times per second for cell activation and reduced inflammation

Model RL302

Core Positioning	Red light therapy sauna blanket
Main Functions	Red light irradiation, far - infrared heating
Material	PU+TPU
LED Detail	448pcs 3 chips 850nm, 1792pcs
Temperature Range	Usually combined with red light heating
Timing Range	10 - 60 minutes
Rated Power	220W
Product Size	180 * 180 cm
Gross Weight/Packaging	9.7 KGS / flat carton



Single-Zone Far-Infrared Sauna Blanket



This sauna blanket uses low EMF carbon fiber heating wires to generate penetrating far-infrared warmth up to 80°C. It naturally relieves muscle and joint pain, aids detoxification, and supports cardiovascular health. With explosion-proof, leak-proof, and overheat protection, it ensures safe use in clinics or homes. Ideal for sports rehabilitation, it promotes deep relaxation, improves sleep, and speeds recovery from fatigue and injuries.



Model RL301

Core Positioning	3 - zone independent control comprehensive therapy pod
Main Functions	Red light + terahertz + PEMF pulse + negative ions + far - infrared
Heating Zones	3 zones (upper body/waist/lower body independent control)
Key Technologies	PEMF pulse coils, photon energy stones, negative ion balls
LED Detail	224 pcs 3-chip 850nm LEDs; 896 pcs660nm LEDs
Temperature Range	Dome: 25°C - 90°C; Mat: 25°C-80°C
Timing Range	5 - 60 minutes
Rated Power	1300W
Product Size	180 * 80 * 45 cm
Gross Weight/Packaging	35 KG